



Technical features



7280 GEKO 7240 GEKO 7230 GEKO 7115 GEKO

Dimensions in cm.	71x21x35 (h)	71x21x35 (h)	16x37x31,5 (h)	16x37x31,5 (h)
Weight	8,3 kg	7,8 kg	4,3 kg	3,7 kg
Power supply	240V/50Hz - 220V/60Hz - 120-127V/60Hz			
Discharging voltage	5000 V	5000 V	5000 V	5000 V
Total consumption	95 W	65 W	45 W	35 W
Lamps	2x40 W	2x20 W	2x15 W	1x15 W
Lamp life	2000 h	3000 h	1500 h	1500 h
Covering (m ²)	850	430	320	160
Protection against drops of water	IPX 4	IPX 4	IPX 3	IPX 3
Double insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>






32



369 01 GEKO 364 01 GEKO 7111 GEKO 7106 GEKO 7106 W GEKO WOOD 7104 GEKO 7104 W GEKO WOOD

Dimensions in cm.	38,5x10,5x29 (h)	38,5x10,5x29 (h)	16x34x36,5 (h)	16x34x36,5 (h)	116x34x36,5 (h)	8,6x20x21 (h)	8,6x20x21 (h)
Weight	2,3 kg	2,3 kg	1,9 kg	1,3 kg	1,3 kg	0,6 kg	0,6 kg
Power supply	240V/50Hz - 220V/60Hz - 220-230V/50-60Hz - 110-130V/60Hz - 120-127V/60Hz						
Discharging voltage	5000 V	5000 V	1500 V	1500 V	1500 V	950 V	950 V
Covering (m ²)	320	160	120	65	65	30	30
Total consumption	45 W	35 W	20 W	11 W	11 W	8 W	8 W
Lamps	2x15 W	1x15 W	1x11 W	1x6 W	1x6 W wood	1x4 W	1x4 W wood
Lamp life	1500 h	1500 h	1500 h	1500 h	1500 h	2000 h	2000 h
Double insulation	<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>	



Shown products' photographs have the only purpose of improving their presentation. For a proper and safety use of the same, please refer to their instructions manuals. MO-EL reserves the right to modify the technical features of its products without notice.

insectivoro



396

367 G ECONOMY

360 B BASIC


366 GOODNIGHT

362 A STERILIZER

395 INDEPENDENT

39506 CAMPING

Structure	P.P.	ABS	ABS	ABS	ABS	P.P.	P.P.
Dimensions in cm	25x19x34 (h)	24,5x19x34 (h)	24,5x19x34 (h)	24,5x19x34 (h)	24,5x19x34 (h)	25x19x34h (h)	25x19x34h (h)
Weight	1,9 Kg	2,2 Kg	2,3 Kg	2,1 Kg	2,7 Kg	1,95 Kg	1,2 Kg
Power supply	240V/50Hz - 220V/60Hz - 110-130V/60Hz - 120-127V/60Hz						
UV-A lams	1x15 W	2x11 W	2x11 W	2x6 WOOD	2x11 W	1x15 W	1x15 W
Lamp life	5000 h	1500 h	1500 h	1500 h	1500 h	5000 h	5000 h
UV-C germicide lamps	—	—	—	—	Philips TUV PL-S 9W	—	—
Covering (m ²)	100	120	120	60	120	100	100
Total consumption	35 W	40 W	45 W	40 W	75 W	15 W	15 W
Motor speed	950 rpm	1000 rpm	900/1050 rpm	850/1000 rpm	850/1000 rpm	950 rpm	950 rpm
Double insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



33

Hair-dryers

Hand-dryers



**32202 TR
SCIROCCO**



**32004 TR
SCIROCCO**



32111

Dimensions in cm.	25x9,2x11,3 (h)	25x9,2x11,3 (h)	25x9,2x11,3(h)
Weight	1,25 kg	1,2 kg	0,8 kg
Power supply	240V/50Hz - 220V/60Hz - 120-127V/60Hz		
Power	700/1100 W	700 W	1100 W
Air speed (m/s)	19,5/30	28,5	30
Air capacity (m ³ /h)	29,8/45,9	43,6	45,9
Tube length	90 cm	90 cm	—
Double insulation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Protection against drops of water	⚠ IP X3	⚠ IP X4	⚠

